

# WOLF'S HEAD Oil Company

The Finest Of The Fine Since 1879<sup>®</sup> 1601 McCloskey Blvd. Tampa, FL 33605 U.S.A. E-MAIL: info@wolfshead.com http://www.wolfshead.com/ Telephone: (813)569-8106 Fax: (813)248-1488

Page 1/9

816100281

## Safety data sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 24 April 2018

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

· Trade name: WOLF'S HEAD 100% SYN 0W-20 DEXOS1

· Other means of identification: No other identifiers

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Application of the substance / the mixture: Lubricant

· Uses advised against: No further relevant information available.

· 1.3 Details of the supplier of the Safety Data Sheet

· Supplier:

WOLF'S HEAD Oil Company Made in U.S.A.

• **1.4 Emergency telephone number:** ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)

## **SECTION 2: Hazards identification**

## • 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008

The product is not classified as hazardous according to the Globally Harmonized System (GHS). The product is not classified as hazardous according to OSHA GHS regulations within the United States.

The product is not classified as hazardous according to the CLP regulation.

#### · 2.2 Label elements

#### · Labelling according to Regulation (EC) No 1272/2008

The product is not classified as hazardous according to OSHA GHS regulations within the United States. The product is not classified as hazardous according to the CLP regulation.

- Hazard pictograms Not Regulated
- · Signal word Not Regulated
- · Hazard statements Not Regulated.

(Cont'd. on page 2)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

#### Trade name: WOLF'S HEAD 100% SYN 0W-20 DEXOS1

(Cont'd. from page 1)

· Additional information:

Safety data sheet available on request.

· 2.3 Other hazards There are no other hazards not otherwise classified that have been identified.

#### · Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

#### **SECTION 3:** Composition/information on ingredients

#### · 3.2 Mixtures

· Components:

	Trade Secret tris(branched-alkyl) borate	<1%
CAS: 84605-29-8 EINECS: 283-392-8	and iso-Pr) esters, zinc salts	<0,25%
Reg.nr.: 01-2119493626-26-XXXX	Eye Dam. 1, H318 Aquatic Chronic 2, H411 Skin Irrit. 2, H315	

#### · Additional information:

Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This product meets these requirements.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- Immediately wash with water and soap and rinse thoroughly.

If skin irritation is experienced, consult a doctor.

#### · After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

#### After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

- **4.2 Most important symptoms and effects, both acute and delayed** Nausea in case of ingestion. Gastric or intestinal disorders when ingested.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

#### **SECTION 5: Firefighting measures**

(Cont'd. on page 3)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

	(Cont'd. from page
· 5.1 Extinguishing media	
· Suitable extinguishing agents:	
Water haze or fog	
Foam	
Fire-extinguishing powder	
Carbon dioxide • For safety reasons unsuitable extinguishing agents:	Water with full iet
<ul> <li>5.2 Special hazards arising from the substance</li> </ul>	
In case of fire, the following can be released:	
Carbon monoxide (CO)	
Under certain fire conditions, traces of other toxic gases	cannot be excluded.
5.3 Advice for firefighters	
Protective equipment:     Wear soft contained received received and the set of the	
Wear self-contained respiratory protective device. Wear fully protective suit.	
SECTION 6: Accidental release measures	
· 6.1 Personal precautions, protective equipment	t and emergency procedures
• • • • •	
Ensure adequate ventilation	
Particular danger of slipping on leaked/spilled product.	
Particular danger of slipping on leaked/spilled product. Use personal protective equipment as required.	
Particular danger of slipping on leaked/spilled product. Use personal protective equipment as required. • 6.2 Environmental precautions	
<ul> <li>Particular danger of slipping on leaked/spilled product. Use personal protective equipment as required.</li> <li>6.2 Environmental precautions Avoid release to the environment.</li> </ul>	re )
Particular danger of slipping on leaked/spilled product. Use personal protective equipment as required. • <b>6.2 Environmental precautions</b> Avoid release to the environment. Prevent from spreading (e.g. by damming-in or oil barrie	
<ul> <li>Particular danger of slipping on leaked/spilled product. Use personal protective equipment as required.</li> <li>6.2 Environmental precautions Avoid release to the environment. Prevent from spreading (e.g. by damming-in or oil barrie</li> <li>6.3 Methods and material for containment and</li> </ul>	cleaning up
<ul> <li>Particular danger of slipping on leaked/spilled product. Use personal protective equipment as required.</li> <li>6.2 Environmental precautions Avoid release to the environment. Prevent from spreading (e.g. by damming-in or oil barrie</li> <li>6.3 Methods and material for containment and Absorb with liquid-binding material (sand, diatomite, acid)</li> </ul>	cleaning up
<ul> <li>Particular danger of slipping on leaked/spilled product. Use personal protective equipment as required.</li> <li>6.2 Environmental precautions Avoid release to the environment.</li> <li>Prevent from spreading (e.g. by damming-in or oil barrie</li> <li>6.3 Methods and material for containment and Absorb with liquid-binding material (sand, diatomite, acid Remove from the water surface (e.g. skim or suck off). Send for recovery or disposal in suitable receptacles.</li> </ul>	<b>cleaning up</b> d binders, universal binders, sawdust).
<ul> <li>Particular danger of slipping on leaked/spilled product. Use personal protective equipment as required.</li> <li>6.2 Environmental precautions Avoid release to the environment. Prevent from spreading (e.g. by damming-in or oil barrie) 6.3 Methods and material for containment and Absorb with liquid-binding material (sand, diatomite, acid Remove from the water surface (e.g. skim or suck off). Send for recovery or disposal in suitable receptacles. Dispose of the material collected according to regulation</li></ul>	<b>cleaning up</b> d binders, universal binders, sawdust).
<ul> <li>Particular danger of slipping on leaked/spilled product. Use personal protective equipment as required.</li> <li>6.2 Environmental precautions Avoid release to the environment. Prevent from spreading (e.g. by damming-in or oil barrie)</li> <li>6.3 Methods and material for containment and Absorb with liquid-binding material (sand, diatomite, acid Remove from the water surface (e.g. skim or suck off). Send for recovery or disposal in suitable receptacles. Dispose of the material collected according to regulation</li> <li>6.4 Reference to other sections</li> </ul>	<b>cleaning up</b> d binders, universal binders, sawdust).
<ul> <li>Particular danger of slipping on leaked/spilled product. Use personal protective equipment as required.</li> <li>6.2 Environmental precautions Avoid release to the environment. Prevent from spreading (e.g. by damming-in or oil barrie</li> <li>6.3 Methods and material for containment and Absorb with liquid-binding material (sand, diatomite, acid Remove from the water surface (e.g. skim or suck off). Send for recovery or disposal in suitable receptacles. Dispose of the material collected according to regulation</li> <li>6.4 Reference to other sections See Section 7 for information on safe handling.</li> </ul>	<b>cleaning up</b> d binders, universal binders, sawdust). s.
<ul> <li>Particular danger of slipping on leaked/spilled product. Use personal protective equipment as required.</li> <li>6.2 Environmental precautions Avoid release to the environment. Prevent from spreading (e.g. by damming-in or oil barrier</li> <li>6.3 Methods and material for containment and Absorb with liquid-binding material (sand, diatomite, acid Remove from the water surface (e.g. skim or suck off). Send for recovery or disposal in suitable receptacles. Dispose of the material collected according to regulation</li> <li>6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equ</li> </ul>	<b>cleaning up</b> d binders, universal binders, sawdust). s.
<ul> <li>Particular danger of slipping on leaked/spilled product. Use personal protective equipment as required.</li> <li>6.2 Environmental precautions Avoid release to the environment.</li> <li>Prevent from spreading (e.g. by damming-in or oil barrie</li> <li>6.3 Methods and material for containment and Absorb with liquid-binding material (sand, diatomite, acia Remove from the water surface (e.g. skim or suck off). Send for recovery or disposal in suitable receptacles. Dispose of the material collected according to regulation</li> <li>6.4 Reference to other sections See Section 7 for information on safe handling.</li> </ul>	<b>cleaning up</b> d binders, universal binders, sawdust). s.
<ul> <li>Particular danger of slipping on leaked/spilled product. Use personal protective equipment as required.</li> <li>6.2 Environmental precautions Avoid release to the environment. Prevent from spreading (e.g. by damming-in or oil barrierierierierierierierierierierierierie</li></ul>	<b>cleaning up</b> d binders, universal binders, sawdust). s.

Avoid breathing mist/vapours/spray. Avoid contact with the eyes and skin.

Keep out of reach of children.

· Information about fire - and explosion protection:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

·7.2 Conditions for safe storage, including any incompatibilities

(Cont'd. on page 4)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

	(Contra frameson
<ul> <li>Requirements to be met by storero Store in cool, dry conditions in well se Avoid storage near extreme heat, ign</li> <li>Information about storage in one o Store away from foodstuffs.</li> </ul>	ealed receptacles. ition sources or open flame.
Store away from oxidising agents. • 7.3 Specific end use(s) No furthe	r relevant information available.
SECTION 8: Exposure contro	ols/personal protection
	equire monitoring at the workplace: relevant quantities of materials with critical values that have to
Keep away from foodstuffs, beverage Avoid contact with the eyes. Avoid close or long term contact with Avoid breathing mist/vapours/spray. • <b>Respiratory protection:</b> Not required under normal conditions	re to be adhered to when handling chemicals. s and feed. the skin.
<ul> <li>Protection of hands: Gloves are advised for repeated or pr Wear protective gloves to handle con</li> <li>Eye protection: Follow relevant national Body protection: Protective work closed</li> </ul>	evice when aerosol or mist is formed. rolonged contact. Intents of damaged or leaking units. Intents of damaged or leaking units. Intents of protective eyewear. Intents of the environment: No special requirements.
Protection of hands: Gloves are advised for repeated or provide the second structure of the	evice when aerosol or mist is formed. rolonged contact. intents of damaged or leaking units. onal guidelines concerning the use of protective eyewear. othing osure into the environment: No special requirements. pecial requirements. memical properties
Protection of hands: Gloves are advised for repeated or provide the second s	evice when aerosol or mist is formed. rolonged contact. intents of damaged or leaking units. onal guidelines concerning the use of protective eyewear. othing osure into the environment: No special requirements. pecial requirements. nemical properties cal and chemical properties
Protection of hands: Gloves are advised for repeated or provide the second s	evice when aerosol or mist is formed. rolonged contact. intents of damaged or leaking units. onal guidelines concerning the use of protective eyewear. othing osure into the environment: No special requirements. pecial requirements. memical properties
<ul> <li>Protection of hands: Gloves are advised for repeated or provide a protective gloves to handle composition.</li> <li>Eye protection: Follow relevant national supervision of exposition.</li> <li>Limitation and supervision of exposition.</li> <li>Risk management measures: No space set of the set</li></ul>	evice when aerosol or mist is formed. rolonged contact. intents of damaged or leaking units. onal guidelines concerning the use of protective eyewear. othing osure into the environment: No special requirements. pecial requirements. <b>nemical properties</b> cal and chemical properties Liquid Amber coloured Petroleum-like
<ul> <li>Protection of hands: Gloves are advised for repeated or provide the second structure of the second structure of the second structure with the second structure work closes and supervision of exposite second structure structu</li></ul>	evice when aerosol or mist is formed. rolonged contact. Intents of damaged or leaking units. Intents of damaged or leaking units. Intents of damaged or leaking units. Intents concerning the use of protective eyewear. Intents the environment: No special requirements. pecial requirements. Intentical properties Liquid Amber coloured
<ul> <li>Protection of hands: Gloves are advised for repeated or provide an protective gloves to handle complexity of the protection: Follow relevant nations: Body protection: Follow relevant nations: Body protection: Protective work closes Limitation and supervision of expositions: Risk management measures: No spectrum SECTION 9: Physical and choose of the physical</li></ul>	evice when aerosol or mist is formed. rolonged contact. Intents of damaged or leaking units. Intents of damaged or leaking units. Intents concerning the use of protective eyewear. Into the environment: No special requirements. pecial requirements. Intentical properties Cal and chemical properties Liquid Amber coloured Petroleum-like Not determined. Not determined.
<ul> <li>Protection of hands: Gloves are advised for repeated or provide the second structure of t</li></ul>	evice when aerosol or mist is formed. rolonged contact. Intents of damaged or leaking units. Intents of damaged or leaking units. Intents of damaged or leaking units. Intents concerning the use of protective eyewear. Intention of the environment: No special requirements. Intentical properties Cal and chemical properties Liquid Amber coloured Petroleum-like Not determined. Not determined.

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

#### Trade name: WOLF'S HEAD 100% SYN 0W-20 DEXOS1

	(Cont'd. from pag
Flammability (solid, gas):	Not applicable.
· Auto/Self-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
Oxidising properties	Not determined.
Vapour pressure:	Not determined.
Density:	
Relative density:	<1
Vapour density:	Not determined.
Evaporation rate:	Not determined.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/wa	iter: Not determined.
Viscosity	
Dynamic:	Not determined.
Kinematic at 40 °C (104 °F):	45 mm²/s
9.2 Other information	No further relevant information available.

### **SECTION 10: Stability and reactivity**

• 10.1 Reactivity The product is non-reactive under normal conditions of use, storage and transport.

- · 10.2 Chemical stability Stable under normal temperatures and pressures.
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions Reacts with strong oxidising agents.
- · 10.4 Conditions to avoid Sources of ignition: sparks, open flame, incompatible materials
- · 10.5 Incompatible materials Oxidisers
- 10.6 Hazardous decomposition products
- Carbon monoxide and carbon dioxide

Hydrocarbons

Phosphorus oxides (e.g. P2O5)

## **SECTION 11: Toxicological information**

#### · 11.1 Information on toxicological effects

· Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification: None.

(Cont'd. on page 6)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Trade name: WOLF'S HEAD 100% SYN 0W-20 DEXOS1
(Cont'd. from page 5)
· Primary irritant effect
<ul> <li>Skin corrosion/irritation: Based on available data, the classification criteria are not met.</li> </ul>
· Serious eye damage/irritation: Based on available data, the classification criteria are not met.
· Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.
· IARC (International Agency for Research on Cancer):
None of the ingredients are listed.
· Probable routes of exposure:
Ingestion.
Eye contact.
Skin contact.
· Germ cell mutagenicity: Based on available data, the classification criteria are not met.
• Carcinogenicity: Based on available data, the classification criteria are not met.
• Reproductive toxicity: Based on available data, the classification criteria are not met.
STOT-single exposure: Based on available data, the classification criteria are not met.
• STOT-repeated exposure: Based on available data, the classification criteria are not met.
• Aspiration hazard: Based on available data, the classification criteria are not met.
SECTION 12: Ecological information

#### · 12.1 Toxicity

· Aquatic toxicity:

398141-87-2 Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11 branched alkyloxy) derivs., C10-rich

LC50 3,3 mg/l (Cyprinodon variegatus)

4,2 mg/l (pimephales promelas)

· 12.2 Persistence and degradability

The product is partially biodegradable. Significant residuals remain.

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes: Avoid release to the environment.

#### · 12.5 Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

· 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

#### · Recommendation

Contact waste processors for recycling information.

Delivery of waste oil to officially authorized collectors only.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

(Cont'd. on page 7)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

#### Trade name: WOLF'S HEAD 100% SYN 0W-20 DEXOS1

(Cont'd. from page 6)

#### · Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	
•	
· 14.1 UN-Number · DOT, ADR, IMDG, IATA	Not Regulated
<ul> <li>· 14.2 UN proper shipping name</li> <li>· DOT, ADR, IMDG, IATA</li> </ul>	Not Regulated
<ul> <li>14.3 Transport hazard class(es)</li> </ul>	
· DOT, ADR, IMDG, IATA · Class	Not Regulated
· 14.4 Packing group · DOT, ADR, IMDG, IATA	Not Regulated
<ul> <li>• 14.5 Environmental hazards:</li> <li>• Marine pollutant:</li> </ul>	No
· 14.6 Special precautions for user	Not applicable.
<ul> <li>14.7 Transport in bulk according to Ann of Marpol and the IBC Code</li> </ul>	Not applicable.
•	

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for	the substance
or mixture	
· United States (USA) · SARA	
· Section 355 (extremely hazardous substances):	
None of the ingredients are listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients are listed.	
· TSCA (Toxic Substances Control Act):	
All ingredients are listed or exempt.	
· EPA (Environmental Protection Agency)	
None of the ingredients are listed.	
· IARC (International Agency for Research on Cancer)	
None of the ingredients are listed.	
· Canadian Domestic Substances List (DSL)	
All ingredients are listed or exempt.	
	(Cont'd. on page 8)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

#### Trade name: WOLF'S HEAD 100% SYN 0W-20 DEXOS1

#### · Directive 2012/18/EU

(Cont'd. from page 7)

· Named dangerous substances - ANNEX I None of the ingredients are listed.

· Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

#### · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistant, Bio-accumulable, Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1B: Skin sensitisation – Category 1B

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

#### · Sources

Website, European Chemicals Agency (echa.europa.eu)

W ebsite, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/hom e/ overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

The manufacturer believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. No warranty of fitness, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with any other materials or process. Further, since the conditions and

(Cont'd. on page 9)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

#### Trade name: WOLF'S HEAD 100% SYN 0W-20 DEXOS1

(Cont'd. from page 8) methods of use of this product and of the information referred to herein are beyond the control of the manufacturer, the manufacturer expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 W ebsite: www.chemtelinc.com