

# **UNIVERSAL GOLD 34** EXTENDED LIFE ANTIFREEZE/COOLANT **PREMIX**

## SAFETY DATA SHEET

**SECTION 1 L PRODUCT AND COMPANY IDENTIFICATION** 

UNIVERSAL GOLD 34 Product Name:

**Product Code:** PUG34

Primary Use(s): Automotive/Truck Antifreeze & Coolant

Manufactured By: Coastline Chemical Inc.

30470 Energy Drive

New Church, VA 23415, USA www,prideantifreeze.com

Telephone (General) 757.824.3831

EMERGENCY TELEPHONE CHEMTREC (800) 424-9300

### **SECTION 2 – HAZARD IDENTIFICATION**

**Physical State** Liquid, clear gold color Mild, sweet odor Odor

**Emergency Overview** This product presents no specific emergency hazard

Signal Word(s) **WARNING** 

**Hazard Statements** Causes Eye Irritation Harmful/Toxic If Causes Skin Irritation

Swallowed

**Hazard Symbol** 

(H302)Harmful if swallowed (H373)May cause kidney damage **GHS CLASSIFICATIONS** Acute Oral Toxicity 5 Acute Dermal Toxicity Corrosion/Irritation Skin 3

> Acute Inhalation Serious Eye Damage/ Toxicity **5** Eye Irritation 2B

#### SECTION 3 – COMPOSITION/INGREDIENT INFORMATION

SECTION 5 COMIN CONTROL MICHEBIENT IN CHIMATION			
<u>NAME</u>	CAS No	<u>EU INVENTORY</u>	PERCENTAGE
Ethane 1,2 - diol (monoethylene glycol)	107-21-1	203-473-3	45 – 49
2-(2 hydroxyethoxy) ethan-1-ol (diethylene glycol)	111-46-6	203-872-2	1 – 3
Water & proprietary additives	7732-18-5	231-791-2	balance

SDS: Pride Universal Gold 34 PREMIX Antifreeze/Coolant

### SECTION 4 - FIRST AID MEASURES

**EYE CONTACT** Remove corrective lenses. Wash with cool water including under eyelid for 15

mins. See doctor if irritation persists.

**SKIN CONTACT** Remove affected clothing, Wash with mild soap and water. Apply lotion for

redness.

**INHALATION** Remove person to fresh air.

**INGESTION** Wash mouth and other contacted parts with water. Never give anything by

mouth to an unconscious person. If conscious, give 1-2 glasses of water.

Avoid alcohol. Contact doctor or poison control center.

PHYSICAL NOTES N/A

### SECTION 5 - FIRE FIGHTING MEASURES

**Flash Point** Flash Point > 200 deg. F **Combustion** Carbon Dioxide, Ash, Water

**Extinguishing Media (suitable)** Water, Foam, ABC Extinguisher

( not suitable) Unknown

Special Hazards Unknown

Special Protective Equipment Face Shield, Gloves, Self-contained air supply

### SECTION 6 - ACCIDENTAL RELEASE MEASURES

**Personal Precautions** Safety Glasses and Gloves.

Environmental Precautions Collect product or waste and offer to environmental waste disposal company

Cleanup Methods Absorb and/or collect all spilled material put in suitable container and send to

suitable hazmat collection service or landfill.

### **SECTION 7- HANDLING AND STORAGE**

Handling Only use suppliers approved and labelled containers

**Storage** Store in clean, dry, ventilated place

#### SECTION 8 – EXPOSURE CONTROL AND PERSONAL PROTECTION

Preventive Measures ONLY USE SUPPLIED COONTAINER

**Engineering Controls** Provide fresh air at all times

Personal Protection (recommended)

EYES , SKIN , RESPIRATORY ,

**HANDS** 

Wear safety glasses when transferring product Wear gloves when transferring product

Normal ventilation is sufficient

Wear rubber gloves when transferring product

### SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

**APPEARANCE** 

Physical State Liquid
Color Clear Gold
Odor Characteristic
Odor Threshold Unknown

Important Health, Safety, Environmental Information

**pH (as supplied)** 8.5 – 9.5

**Boiling Point**Above 200 deg. F **Pour Point/Freezing (as supplied )**Freeze Point -34F/-37C

Flash Point 260F/127C Oxidizing Properties None

Vapor Pressure 0.12 mm Hg @20C

Specific Gravity 1.04 -1.06
Water Solubility Soluble
Vapor Density (air =1) 2.1

### SECTION 10 - STABILITY AND REACTIVITY

Stability and Reactivity Stable

Incompatibility with various substances Do not mix with strong acids

Hazardous polymerization Will not occur

Hazardous decomposition products

When heated to decomposition, may emit toxic fumes

### SECTION 11 - TOXICALOGICAL

**Potential Acute Health Effects (ingredient)** 

monoethylene glycol LD oral rat = 4000 mg/kg; LD50 dermal rat=9500 mg/kg diethylene glycol LD50 oral rat=12565 mg/kg; LD50 dermal rat=11890 mg/kg

Acute Oral Effects Can cause irritation to mouth, throat, and stomach. Large

volume ingestion may cause depression of central nervous

system.

**Potential Chronic Health Effects** 

Chronic Effects: None expected under normal use conditions

Carcinogenicity: Neither product nor its ingredients are listed by IARC, NTD or

**OSHA** 

Mutagenicity:Not mutagenicTeratogenicity:Not Teratogenic

### SECTION 12 – ECOLOGICAL INFORMATION

**4** 

May be toxic to aquatic organisms

**Aquatic Toxicity** 

### **SECTION 13 – DISPOSAL CONSIDERATIONS**

Waste Disposal Method: Dispose of waste through hazardous waste contractor/recycler.

**Container Cleaning and Disposal:** Containers should be cleaned of residual product before disposal.

### **SECTION 14 – TRANSPORT INFORMATION**

DOT Proper Shipping Name:Ethylene GlycolShipping Symbols:Environmental HazardHazard Class:Environmental Hazard

**UN Number:** Not regulated unless shipping container holds at least 10,539 pounds.

Packing Group:Not applicableLabel:Not applicableSpecial Provisions (172.102):Not applicable

**Bulk Shipments** 

**DOT Proper Shipping Name:** Environmentally hazardous substance, liquid, n.o.s. (Ethylene glycol)

UN Number: UN 3082

Label Requirement: Class 9, UN 3082

#### **SECTION 15 – REGULATORY INFORMATION**

**EPA Regulations** 

RCRA Hazardous Waste Number and RCRA

Hazardous Waste Classification: Unused product is not classified as a hazardous waste by

RCRA criteria

CERCLA Hazardous Substance and CERCLA

Reportable Quantity: Does not contain any ingredients listed as a CERCLA

hazardous substance.

SARA Toxic Chemical and SARA EHS: Contains following substance which is listed in Title III:

Ethylene Glycol.

SARA 313 Information:

SARA Hazard Category: An immediate health hazard A

delayed health hazard

**OSHA Regulations:** 

State Regulations

Other: All components listed on both TSCA (USA) and DSL

(Canada) inventory.

CANADIAN WHMIS CLASSIFICATION: Class D, Division 2, Subdivision B (A toxic material causing other chronic effects)

# SECTION 16 - OTHER INFORMATION

Additional Hazard Rating Systems: HMIS(USA) Health=1, Fire=1, Reactivity=0

DISCIAIMER: THE INFORMATION GIVEN HEREIN IS GIVEN IN GOOD FAITH AND FROM SOURCES WE BELIEVE RELIABLE. BUT NO WARRANTY, EXPRESS OR IMPLIED, REGARDING ITS CORRECTNESS IS MADE.

The conditions or methods of handling, storage, use and disposal of this product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of this product.

This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not apply.

CONSULT Company listed in Section 1. FOR FURTHER INFORMATION.

Revised 5-05-2015