

MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product Name LYSOL® Brand III Disinfectant Spray (all sizes, all scents)

CAS # Mixture
Product use Disinfectant
Distributed by Reckitt Benckiser

Morris Corporate Center IV 399 Interpace Parkway

P.O. Box 225

Parsippany, NJ 07054-0225

In Case of Emergency: 1-800-338-6167 Transportation Emergencies: 24 Hour Number:

North America: CHEMTREC: 1-800-424-9300 Outside North America: 1-703-527-3887

LEGEND
HMIS/NFPA

Severe 4
Serious 3
Moderate 2
Slight 1
Minimal 0





2. Hazards Identification

Emergency overview This product is regulated by the US EPA as a disinfectant.

PRECAUTIONARY STATEMENTS: Hazards to humans and domestic animals.

CAUTION

Causes moderate eye irritation. Do not spray in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum

or using tobacco.

PHYSICAL HAZARDS: FLAMMABLE

Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

KEEP OUT OF REACH OF CHILDREN.

Potential short term health effects

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Eyes Causes moderate eye irritation.

Skin Moderately irritating to the skin.

Inhalation None expected during normal conditions of use.

However intentional misuse by deliberately concentrating and inhaling the contents may

be harmful or fatal.

IngestionContains denatured ethyl alcohol. May be harmful if swallowed.Target organsBlood. Liver. Respiratory system. Central nervous system. Heart.

Chronic effects Prolonged or repeated exposure can cause drying, defatting and dermatitis.

Signs and symptoms Symptoms may include redness, edema, drying, defatting and cracking of the skin.

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and

vomiting.

OSHA Regulatory Status This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Potential environmental effects Components of this product have been identified as having potential

environmental concerns.

3. Composition / Information on Ingredie	ents
--	------

Ingredient(s)	CAS#	Percent
Ethanol	64-17-5	40 - 60
Butane	106-97-8	2.5 - 10
Propane	74-98-6	1 - 2.5
Alkyl (40% C12, 50% C14, 10% C16) dimethyl benzyl ammonium saccharinate	Not Applicable	0 - 0.1

4. First Aid Measures

First aid procedures

Eye contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison

Control Center or doctor for treatment advice.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. All

contaminated clothes and shoes are to be removed and washed before reuse. If

symptoms persist, call a physician.

Move exposed person to fresh air. Get medical attention immediately. Inhalation Ingestion If swallowed, call physician or Poison Control Centre immediately.

Contains denatured ethanol; ingestion may result in ethanol poisoning. Notes to physician

> Symptoms may be delayed. Treat patient symptomatically.

General advice Do not puncture or incinerate container. Keep away from sources of ignition. No

smoking. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid

contact with eyes and skin. Keep out of reach of children.

NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information visit www.inhalant.org.

5. Fire Fighting Measures

Flammable properties

Flammable aerosol by flame projection test.

Aerosol flame extension less than 18 inches (45 cm).

Containers may explode when heated.

NFPA AEROSOL LEVEL: Flammability Rating 1, per NFPA 30B

Extinguishing media

Suitable extinguishing media Water spray. Dry chemical. Carbon dioxide.

Not available

Unsuitable extinguishing media

Protection of firefighters

Specific hazards arising from

the chemical

Contents under pressure. Pressurized container may explode when exposed to heat or flame. Cool containers with flooding quantities of water until well after fire is out.

Protective equipment for

firefighters

Firefighters should wear full protective clothing including self contained breathing apparatus.

Hazardous combustion products

Explosion data

Sensitivity to mechanical impact Not available Not available. Sensitivity to static discharge

6. Accidental Release Measures

May include and are not limited to: Oxides of carbon.

Personal precautions Keep unnecessary personnel away.

Do not touch or walk through spilled material.

Do not touch damaged containers or spilled material unless wearing appropriate

protective clothing.

Keep people away from and upwind of spill/leak.

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not contaminate water. **Methods for containment**Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area).
Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements

or confined areas.

Methods for cleaning up Before attempting clean up, refer to hazard data given above. Remove sources of

ignition. Although the chance of a significant spill or leak is unlikely in aerosol containers, in the event of such an occurrence, absorb spilled material with a

non-flammable absorbent such as sand or vermiculite.

7. Handling and Storage

Handling Ensure adequate ventilation.

Wear appropriate personal protective equipment when handling this product.

Wash hands after handling and before eating. Avoid contact with eyes, skin and clothing. Do not ingest.

Avoid breathing vapors or mists of this product.

CONTENTS UNDER PRESSURE. DO NOT use in presence of open flame or spark. DO NOT puncture or incinerate container or store at temperatures over 50°C. DO NOT use on polished wood furniture, rayon fabrics, or acrylic plastics. Avoid contact with eyes and

food. EXTREMELY FLAMMABLE Contents under pressure.

Do not puncture or incinerate container.

Store in original container in areas inaccessible to small children.

STORE IN A COOL PLACE AND AWAY FROM DIRECT SUNLIGHT. Keep away from heat, open flames or other sources of ignition.

Do not reuse container.

Do not puncture or incinerate container.

NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information visit

www.inhalant.org.

It is a violation of Federal law to use this product in a manner inconsistent with its

labeling.

8. Exposure Controls / Personal Protection

Exposure limits	
Ingredient(s)	Exposure Limits
Alkyl (40% C12, 50% C14, 10% C16) dimethyl benzyl	ACGIH-TLV
ammonium saccharinate	Not established
	OSHA-PEL
	Not established
Butane	ACGIH-TLV
	TWA: 1000 ppm
	OSHA-PEL
	Not established
Ethanol	ACGIH-TLV
	TWA: 1000 ppm
	STEL: 1000 ppm
	OSHA-PEL
	TWA: 1000 ppm
Propane	ACGIH-TLV
	TWA: 1000 ppm
	OSHA-PEL
	TWA: 1000 ppm
	20. 22

Engineering controls

Storage

Personal protective equipment

Eye / face protection

Provide adequate ventilation.

Avoid contact with eyes. tightly fitting safety goggles

Emergency responders should wear full eye and face protection.

Hand protection Not normally required when used as directed. Avoid contact with the skin.

Emergency responders should wear impermeable gloves.

Skin and body protection

As required by employer code.

Not normally required if good ventilation is maintained. Respiratory protection

> Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2). Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid

inhalation of vapours generated by this product during a spill or other clean-up

operations.

Handle in accordance with good industrial hygiene and safety practice. General hygiene considerations

When using do not eat or drink.

Washing with soap and water after use is recommended as good hygienic practice to

prevent possible eye irritation from hand contact.

9. Physical and Chemical Properties

Misty spray **Appearance** Clear Color Aerosol Form Characteristic Odor Not available Odor threshold

Physical state Gas

10.8 - 11.8 pН Not available Freezing point Not available **Boiling point** Not available Pour point **Evaporation rate** Not available 78.08 °F (25.6 °C) Flash point Auto-ignition temperature Not available Not available Flammability limits in air, lower, %

by volume

Flammability limits in air, upper, %

by volume

Not available

Not available Vapor pressure Vapor density Not available

Specific gravity 0.882 @ 25°C (Concentrate)

Octanol/water coefficient Not available Complete Solubility (H2O) VOC (Weight %) Not available Viscosity Not available Percent volatile Not available

10. Stability and Reactivity

Reactivity This product may react with strong oxidizing agents.

Possibility of hazardous reactions Hazardous polymerization does not occur.

Chemical stability Stable under recommended storage conditions.

Heat, open flames, static discharge, sparks and other ignition sources. Conditions to avoid

Aerosol containers are unstable at temperatures above 49°C (120.2°F).

Do not freeze. Exposure to moisture.

Oxidizers. Incompatible materials

Hazardous decomposition products May include and are not limited to: Oxides of carbon.

	_			4 .
11			al Inta	rmation
	I () X I(:		41 IIIIC)	rmation
		0.09.0	41 IIII V	

Component analysis - LC50	
Ingredient(s)	LC50
Alkyl (40% C12, 50% C14, 10% C16) dimethyl benzyl ammonium saccharinate	Not available
Butane	Not available
Ethanol	31623 ppm rat
Propane	Not available
Component analysis - Oral LD50	
Ingredient(s)	LD50
Alkyl (40% C12, 50% C14, 10% C16) dimethyl benzyl ammonium saccharinate	Not available
Butane	Not available
Ethanol	3450 mg/kg mouse; 7060 mg/kg rat
Propane	Not available

Effects of acute exposure

EyeCauses moderate eye irritation.SkinModerately irritating to the skin.

Inhalation None expected during normal conditions of use.

However intentional misuse by deliberately concentrating and inhaling the contents may

be harmful or fatal.

IngestionContains denatured ethyl alcohol. May be harmful if swallowed.SensitizationThe finished product is not expected to have chronic health effects.Chronic effectsThe finished product is not expected to have chronic health effects.CarcinogenicityThe finished product is not expected to have chronic health effects.

ACGIH - Threshold Limit Values - Carcinogens

Ethanol 64-17-5 A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans

MutagenicityThe finished product is not expected to have chronic health effects.Reproductive effectsThe finished product is not expected to have chronic health effects.TeratogenicityThe finished product is not expected to have chronic health effects.

Name of Toxicologically Synergistic Not available

Products

12. Ecological Information

Ecotoxicity Components of this product have been identified as having potential environmental

concerns.

Ecotoxicity - Freshwater Fish - Acute Toxicity Data

Ethanol 64-17-5 96 Hr LC50 Oncorhynchus mykiss: 12.0 - 16.0 mL/L [static]; 96 Hr LC50 Pimephales

promelas: >100 mg/L [static]; 96 Hr LC50 Pimephales promelas: 13400 - 15100 mg/L

[flow-through]

Ecotoxicity - Water Flea - Acute Toxicity Data

Ethanol 64-17-5 48 Hr LC50 Daphnia magna: 9268 - 14221 mg/L; 24 Hr EC50 Daphnia magna: 10800

mg/L; 48 Hr EC50 Daphnia magna: 2 mg/L [Static]

Persistence / degradability

Bioaccumulation / accumulation

Mobility in environmental media

Environmental effects

Aquatic toxicity

Partition coefficient

Chemical fate information

Not available

Not available

Not available

13. Disposal Considerations		
Disposal instructions	Dispose in accordance with all applicable regulations. Discard in trash or offer for recycling if available.	
Waste from residues / unused products	Not available	
Contaminated packaging	Not available	

U.S. Department of Transportation (DOT)

UN1950, Aerosols, flammable, Class 2.1 Re-Classed as Limited Quantity

Transportation of Dangerous Goods (TDG - Canada)

UN1950, Aerosols, flammable, Class 2.1 Re-Classed as Limited Quantity

IMDG (Marine Transport)

UN 1950, Aerosols, flammable, Class 2.1

UN 1950, Aerosols, Flammable, Limited Quantity or

Consumer Commodity, ID 8000 if acceptable to airline.

15. Regulatory Information

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous Yes

chemical

US Federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Product Registration: Registered with EPA, EPA Reg. No. 777-99

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No

Section 302 extremely No.

hazardous substance

Section 311 hazardous chemical Yes

Clean Air Act (CAA) Not available
Clean Water Act (CWA) Not available

State regulations See below

U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances

Butane 106-97-8 Present

U.S. - Massachusetts - Right To Know List

Butane 106-97-8 Present Ethanol 64-17-5 Teratogen Propane 74-98-6 Present

U.S. - Minnesota - Hazardous Substance List

Butane 106-97-8 Present Ethanol 64-17-5 Present

Propane 74-98-6 Simple asphyxiant

U.S. - New Jersey - Right to Know Hazardous Substance List

 Butane
 106-97-8
 sn 0273

 Ethanol
 64-17-5
 sn 0844

 Propane
 74-98-6
 sn 1594

U.S. - Pennsylvania - RTK (Right to Know) List

 Butane
 106-97-8
 Present

 Ethanol
 64-17-5
 Present

 Propane
 74-98-6
 Present

U.S. - Rhode Island - Hazardous Substance List

Butane 106-97-8 Toxic; Flammable Ethanol 64-17-5 Toxic; Flammable Propane 74-98-6 Toxic; Flammable

Inventory status

Country(s) or region Inventory name

On inventory (yes/no)*

Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

16. Other Information

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

Disclaimer

This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Further information

LYSOL® Brand III Disinfectant Spray - Crisp Linen - 6 oz, 12.5 oz, 19 oz, 350g - 0242193 v 1.0

LYSOL® Brand III Disinfectant Spray - "To Go" Crisp Linen - 1 oz, 28 g - 0242193 v 1.0

LYSOL® Brand III Disinfectant Spray - Spring Waterfall - 12.5 oz, 19 oz, 350g - 0258756 v 1.0

LYSOL® Brand III Disinfectant Spray - Crisp Berry - 12.5 oz, 19 oz, 350g - 0175938 v 1.0

LYSOL® Brand III Disinfectant Spray - Early Morning Breeze - 12.5 oz, 19 oz - 0175929 v 1.0

LYSOL® Brand III Disinfectant Spray - Garden Mist - 12.5 oz, 19 oz - 0175932 v 1.0

LYSOL® Brand III Disinfectant Spray - For Baby's Room - 12.5 oz, 19 oz - 01759232 v 1.0

LYSOL® Brand III Disinfectant Spray - Summer Breeze - 12.5 oz, 19 oz - 0175935 v 1.0

LYSOL® Brand III Disinfectant Spray - Citrus Meadows - 12.5 oz, 19 oz - 0175926 v 1.0

LYSOL® Brand III Disinfectant Spray - Vanillia & Blossoms - 12.5 oz, 19 oz - 0175943 v 1.0

LYSOL® Brand III Disinfectant Spray - Jasmine & Rain - 12.5 oz, 19 oz - 0175920 v 1.0 17-May-2012

Issue date

#19284 Page 8 of 9 Issue date 17-May-2012

Effective date Prepared by Other information 15-Mar-2012

Reckitt Benckiser Regulatory Department 800-333-3899

For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.